

RSi(OR')₃ (II)

in the presence of a base,

wherein condensation occurs without the addition of water,

wherein the molar ratio of the compounds I and II in relation to the monomers is 1 : 1,

wherein up to 90 mole percent of said compound II can be replaced by one or more co-condensable compounds of boron, aluminum, silicon, germanium, titanium and zirconium,

and wherein the radicals are identical or different and have the following meaning:

Ar = a radical having 6 to 20 carbon atoms and at least one aromatic group,

R = an organic radical having 2 to 15 carbon atoms and at least one epoxy group and/or at least one C = C double bond,

R' = methyl or ethyl.

REMARKS

Upon entry of the claim revisions set forth above, claims 1-19 will be pending in this application. Applicants respectfully request that the PTO make those revisions prior to examination of the present application.

Respectfully submitted,

Date 14 January 2002

By S. A. Bent

FOLEY & LARDNER
Washington Harbour
3000 K Street, N.W., Suite 500
Washington, D.C. 20007-5143
Telephone: (202) 672-5404
Facsimile: (202) 672-5399


Stephen A. Bent
Attorney for Applicant
Registration No. 29,768

AZ
CMT


10030910-052002

Mark-up Version of Amended Claims

1. (Amended) Organically modified, stable in storage, UV curable, NIR permeable silicic acid polycondensate which is photostructurable in layers having a thickness of 1 to 150 μm , obtainable by condensation of one or more organically modified silanediols of the general formula I and/or precondensates derived therefrom



with one or more organically modified silanes of the general formula II



wherein condensation occurs without the addition of water,

wherein the molar ratio of the compounds I and II in relation to the monomers is 1 : 1,

wherein up to 90 mole percent of said compound II can be replaced by one or more co-condensable compounds of boron, aluminum, silicon, germanium, titanium and zirconium,


and wherein the radicals are identical or different and have the following meaning:

Ar = a radical having 6 to 20 carbon atoms and at least one aromatic group,

R = an organic radical having 2 to 15 carbon atoms and at least one epoxy group and/or at least one C=C double bond,


R' = methyl or ethyl.

2. (Amended) Silicic acid polycondensate according to claim 1, [characterized in that] wherein up to 90 mole percent of said compound of the general formula II are replaced by one or more compounds of the general formula III,




in which M means one of boron and aluminum, R" represents an alkyl radical with 1 to 4 carbon atoms, and wherein the molar ratio of said replaced compound II in relation to said compound III is 3 : 2.

3. (Amended) Silicic acid polycondensate according to [one of] claim[s] 1 [and 2], [characterized in that] wherein up to 90 mole percent of said compound of the general formula II are replaced by one or more compounds of the general formula IV



in which M' means silicon, germanium, titanium or zirconium, R" represents an alkyl radical having 1 to 4 carbon atoms, and wherein the molar ratio of said replaced compound II in relation to said compound IV is 2 : 1.

4. (Amended) Silicic acid polycondensate according to [one or more of] claim[s] 1 [to 3], [characterized in that] wherein up to 90 mole percent of said compound of the general formula II are replaced by one or more compounds of the general formula V, wherein the molar ratio of said replaced compound II in relation to compound V is 1 : 1,



and wherein the radicals are identical or different and have the following meaning:

- R' = methyl or ethyl,
R¹ = CF₃-(CF₂)_n-C₂H₄-, with n = 0 to 7,
R²HN-(CH₂)₃-, with R² = H, CH₃, C₂H₅ or C₂H₄-NHR²,
H₂N-C₂H₄-NH-CH₂-C₆H₄-C₂H₄-,
substituted and unsubstituted alkyl having 1 to 8 carbon atoms,
substituted and unsubstituted phenyl, tolyl and naphthyl.

5. (Amended) Silicic acid polycondensate according to [one or more of] claim[s] 1 [to 4], [characterized in that] wherein up to 80 mole percent of said compound II are

replaced by [one or] more than one compound[s] selected from the group consisting of more than one compound of general formula III, more than one compound of general formula IV, more than one compound of general formula V, compounds of general formulae III and IV, compounds of general formulae III and V, compounds of general formulae IV and V and compounds of general formulae III, IV and V [of the general formula III and/or IV and/or V].

6. (Amended) Silicic acid polycondensate according to [one or more of] claim[s] 1 [to 5], obtainable by using a condensation catalyst which is triethylamine, NH_4F or an alkaline earth hydroxide.

7. (Amended) Silicic acid polycondensate according to [one or more of] claim[s] 1 [to 6], obtainable by compounds selected from those of the general formula III, IV (with M' being Ti or Zr) [or] and V (with R^1 being $\text{R}^2\text{HN}-(\text{CH}_2)_3-$ or $\text{H}_2\text{N}-\text{C}_2\text{H}_4-\text{NH}_2-\text{CH}_2-\text{C}_6\text{H}_4-$ C_2H_4-) acting as condensation catalysts.

8. (Amended) Silicic acid polycondensate according to [one or more of] claim[s] 1 [to 7], [characterized in that] wherein said radical Ar of the general formula I means a substituted aromatic radical.

9. (Amended) Silicic acid polycondensate according to claim 8, [characterized in that] wherein said radical Ar of the general formula I means phenyl, naphthyl or styryl.

10. (Amended) Silicic acid polycondensate according to [one or more of] claim[s] 1 [to 9], [characterized in that] wherein said radical R of the general formula II contains functional groups.

11. (Amended) Silicic acid polycondensate according to [one or more of] claim[s] 1 [to 10] [characterized in that] wherein said radical R^1 of the general formula V contains SH groups and/or NR^*_2 groups, with R^* being hydrogen or alkyl.

12. (Amended) Silicic acid polycondensate according to [one or more of] claim[s] 1 [to 11], [characterized in that] wherein said radical R of the general formula II contains at least one acryl and/or methacryl group.

13. (Amended) Silicic acid polycondensate according to [one or more of] claim[s] 1 [to 12], obtainable by adding polysiloxanes to the reaction medium, said polysiloxanes having been obtained by reacting organically modified silanediols of the general formula I with organically modified silanes of the general formula II.

14. (Amended) [Use of the organically modified silicic acid polycondensates according to one or more of claims 1 to 13 as] A stable in storage, UV curable, NIR permeable materials [which are] that is photostructurable in layers of a thickness of 1 to 150 μm , wherein said material comprises a silicic acid polycondensate according to claim 1.

15. (Amended) [Use] A material according to claim 14, wherein said material is [as] a negative resist.

* * *